



centormail *MAX*

**VERTICALLY WEIGHS,
AND PROCESSES MAIL
WITHOUT PRESORTING.**


centormail *MAX*

DIGITAL MAILING SYSTEM

From postcards to letters, even flats and parcels – the CentorMail *MAX* is built to perform reliably, processing all formats of mail promptly and dependably. With a nearly 1" pass-through, the widest in the industry, oversized mail and #10 envelopes are processed with the same speed and efficiency. Processing up to 140 letters per minute, the CentorMail *MAX* is perfect for heavy mail processing.

SPECIAL FEATURES

- ▶ Extended Feeder Deck Option
- ▶ Envelope Conveyor-Stacker Option
- ▶ Backlit LCD Display
- ▶ Incoming Mail Mode
- ▶ Interfaces with Shipping & Accounting Software
- ▶ Vertical Envelope Transport
- ▶ Integrated Label Dispenser
- ▶ Optional 10lb. Integrated Scale (upgradeable to 15lb.)
- ▶ Envelope Exit Tray
- ▶ 24/7 Postage Download
- ▶ Convenient Storage Bins
- ▶ In-Line Dynamic Scale Option
- ▶ Power Sealer
- ▶ Extended Departmental Accounting
- ▶ Shape-Based Pricing (SBP) Compliant
- ▶ Information-Based Indicia Program (IBIP) Compliant
- ▶ HP® Technology Inkjet Delivery System



1 Vertical Feeding

Perfect for catalogs and other bulky mailings.

2 True Mixed Mail Processing

No presorting of mail required at all!

3 Easy Paper Path Access

Enables quick and easy access should a jam occur.

4 Feeder Thickness Control

Keeps misfeeds and multiple feeds from occurring.

5 Envelope Moistener

Pre-moistens envelopes for immediate sealing.

6 Dynamic Scale

Automatically calculates the weight of mail pieces without a break in the process.

7 Automatic Label Dispenser

Easily prints quick postage labels.

8 Master/User Card

Allows for advanced user security.

KEY ADVANTAGES

EXCLUSIVE VERTICAL FEEDER

The CentorMail MAX is perfect for large and bulky mailings up to nearly one inch thick. A tension control with four levels enables swift processing of all sizes of mixed mail. And the vertical envelope transport draws from a stack and meters letters in every format.

CONVENIENTLY WEIGH & RATE ALL SIZE MAIL

The integrated 10lb. optional scale calculates postage rates for larger pieces. It weighs the letter, calculates, and displays the correct postage. For oversized packages, print the indicia on an adhesive label, delivered by the integrated label dispenser.

OPTIONAL MAILING & ACCOUNTING SOFTWARE

Unlimited cost accounting and reporting capabilities that conveniently manage and evaluate postage used. Generate reports and also utilize USPS® Confirmation Services.

CHANGE PRINT HEADS FASTER & EASIER

The EasyConnect Bulk Ink System delivers long-lasting, high-quality printing while minimizing ink print head changes and increasing ink yield.

RELOAD POSTAGE EFFORTLESSLY

At the touch of a button, instantly download postage funds through FP TeleSet.

AVAILABLE COMPONENT

CM CONVEYOR-STACKER



Add the optional CM Conveyor-Stacker for maximum through-put of up to 350 pieces.



9 Optional 10 lb. Integrated Scale

Weighs and calculates correct postage. Upgradeable to 15 lbs.

11 Backlit User Interface

Clear digital image for easy reading.

13 Power Sealer

Allows for efficient one-step sealing process.

15 Optional External Scale

Up to 150 lbs.

10 Convenient Storage Bins

Store all of your supplies in these easy access storage bins.

12 Automatic Postage

Secure postage download using FP TeleSet.

14 Envelope Exit Tray

Neatly stacks and organizes mail.

SPECIFICATIONS

Speed	up to 120 or 140 letters per minute
Material size	3" x 5" to 10" x 14"
Material thickness	up to 0.8"
Print technology	HP Inkjet Technology
Imprints per cartridge set	up to 26,000 without ads up to 133,500 with Bulk Ink Delivery System
IBIP compliant	yes
SBP Compliant	yes
User interface	backlit LCD display with softkeys
Label dispenser	yes
Postage scale	integrated up to 10 lbs., upgradeable to 15 lbs. external up to 150 lbs. optional differential weighing
Departmental accounts	100 or 300
Account security	master/user cards
Advertisement memory	15 custom ads
Names for accounts/ads	alpha-numeric, user-defined
Postage endorsements	8 standard
SMS-text messages	8 user-defined
Programmable jobs	20 user-defined
Software options	mailing & accounting software available
Dimensions (w/ exit tray)	45.9" (W) x 21.3" (D) x 13.4" (H)
Weight	44.8 lbs.
Power	115V, 60 Hz, 1.0 A, 115W
Noise emission	up to 67 dB
OPTIONAL COMPONENT SPECIFICATIONS	
Base/Feeder/Sealer/Exit Tray	
Dimensions	73" (L) x 21.5" (W) x 13.3" (H)
Weight	94.8 lbs.
Base/Feeder/Sealer/Exit Tray/Dynamic Scale	
Dimensions	94.5" (L) x 21.5" (W) x 13.3" (H)
Weight	124.6 lbs.
Base w/ options	
Mixed mail feeding	yes
Feeder letter capacity	110 standard, 280 with extended deck
Sealing fluid	Sealit
Conveyor-Stacker	
Dimensions	55" (L) x 16" (W) x 7.5" (H)
Weight	67 lbs.
Letter capacity	up to 350 envelopes